

Great Values

PARTS AND SERVICE SPECIALS FROM MILTON CAT

In-Shop Component Rebuild Special

50% Off

Remove & Installation Labor
Up to \$2,000 Per Component



SAVE \$100

ON EVERY SECOND HYDRAULIC CYLINDER RESEALED



When you need hydraulic cylinder repairs, make our Hydraulic Cylinder Repair Centers your first choice!

In addition to CAT equipment, we have complete parts and service repair capabilities to make affordable repairs on ***all other makes and models of equipment.***

0% Financing for 12 months

on work orders over \$5,000

0%

- Bucket Rebuilds
- Component Rebuilds
- Truck Engine Overhauls
- Certified Powertrain Rebuilds
- Track Reconditioning
- Emission Upgrades
- Line Boring
- Pump and Motor Repair
- Undercarriage Repair

Pre-qualification is required with this offer.

Contact your Parts and Service Sales Representative.



INSIDE THIS ISSUE

- **Avoid Springtime Repairs & Downtime**Pages 2-3
- **Undercarriage Headquarters**Pages 4-5
- **Parts & Service Winter Specials**Pages 6-7
- **Classic Parts & Hydraulic Oil**Pages 8-9
- **Lower Your Owning & Operating Costs**Pages 10-11
- **Wear Products**Page 12

AVOID SPRINGTIME REPAIRS & DOWNTIME

THE MILTON CAT MACHINE EVALUATION PROGRAM

- Four-hour intensive checkup per machine.
- Conducted at your site.
- No charge for travel time and mileage.
- Replacement of fluid filters – a \$200 value. *(Does not include fuel filters).*
- Performed by a two-person team: a trained Milton CAT technician and your area Parts and Service Sales Representative (PSSR).

Total Cost **\$995**

COMPLETE MACHINE EVALUATION INCLUDES THE FOLLOWING:

- Analysis and interpretation of fluids from the engine, transmission, differential, final drives, coolant and hydraulic systems.
- Written reports on the condition of all fluids and on wear metals of components.
- Analysis and replacement of fluid filters.
- A written report on machine condition, covering the following areas: general appearance of machine, cab, tracks, electrical, hydraulic and cooling systems, torque converter, brakes, engine, transmission, front and rear differentials, steering and engine, as well as worktools such as graders and buckets.
- Written estimates and guaranteed prices on needed repair work.

Benefits of the Milton CAT Machine Evaluation Program

- Peace of mind.
- Reduce your downtime.
- Improve your productivity. Increase your profitability.
- A longer life for your machine.
- Upfront budgeting of any needed repair costs.
- The \$995 cost of the evaluation can be credited against any work orders over \$5,000.

What types of machines can benefit from the Milton CAT Machine Evaluation?

Your key equipment – whether it's a machine that performs in demanding environments, an older piece of equipment that's crucial to your bottom line or a heavily used machine that offers you a critical competitive advantage.

Want to schedule your Machine Evaluation?

Talk to your PSSR to learn more about it... and make your appointment for a Milton CAT Machine Evaluation, at your site, at your convenience.

866-385-8858

IS YOUR MACHINE READY FOR PRIME TIME?



Paver Inspection



\$650

Complete Inspection with Repair Quote and Parts List

- Inspection includes travel time *(mileage and Saturdays are additional)*
- \$650 credited back on most work orders
- CAT and Barber-Greene pavers only


Take Advantage of Our Paver Parts Discounts

Available January 1st – March 31st, 2012

Call for pricing. Contact your Parts and Service Sales Rep for details.

UNDERCARRIAGE HEADQUARTERS

Quality manufacturing, lower cost per hour



Built to last longer.

Caterpillar® designs and manufactures undercarriage components for every CAT Track-Type Tractor and Excavator in the world. You can choose CAT® Undercarriage knowing that quality and lasting value are built right into the system. Only CAT Undercarriage offers the durability and performance that make a difference to your bottom line.


- Parts wear longer, for lowest cost-per-hour operation
- Rigid manufacturing standards ensure consistent quality
- Components work and wear as a system
- Designed for specific machines and specific jobs
- Comprehensive service and support
- Worldwide parts availability as a system

CAT Undercarriage is built to last longer. And it's built to be rebuilt, extending the life of the components and reducing your overall operating costs.

Quality manufacturing, lower cost per hour.

50% Off
Remove and
Install Labor

CAT Undercarriage components work together as a system. Matched wear rates on mating components mean worn parts can be replaced at the same time. You save time and money and get maximum wear life from every component. Many of the differences aren't visible on the surface. But under close scrutiny the benefits of quality manufacturing become clear.



Aftermarket Undercarriage



FREE Inspections

In addition to our full line-up of quality CAT undercarriage parts, we carry a complete line of aftermarket undercarriage replacement parts for other makes of equipment. Undercarriage components are guaranteed to meet or exceed OEM requirements for performance and wear life. So, if you're in need of a complete bottom, or just individual undercarriage components, *give us a call today!*

We carry undercarriage replacement parts for all of the following equipment makes:

- John Deere
- Hitachi
- Komatsu
- Case
- Volvo
- International
- Tigercat
- Timbco
- Link Belt
- Kobelco
- Timberjack
- TimberKing
- Dresser



RUBBER TRACK PARTS




20% OFF CAT Rubber Track Undercarriage Parts

Skid Steers, Multi-Terrain Loaders, Mini-Excavators

FEATURES AND BENEFITS:

- All-rubber track has high-tensile cords embedded its entire length to prevent track elongation
- No steel in the track, reducing weight and preventing corrosion
- Track tread designed for optimal traction, while edges are beveled to help prevent damage during turns on sensitive surface
- Track lugs on the inside of the track both drive and guide the track
- Free-turning, replaceable steel sleeves on the sprocket rollers help reduce friction and wear on the lugs
- Elevated internal positive track drive keeps drive components away from ground debris, which helps prolong undercarriage life
- Heavy-duty torsion axles suspend each side of the undercarriage from the machine and absorb most of the shock for a smoother ride



– COME TO US FOR COMPETITIVE RUBBER PRICING –

We have options for all of your needs on almost every model on the market.

- ASV
- John Deere
- Bobcat
- Takeuchi
- Case
- New Holland
- JCB
- Volvo
- Komatsu
- Marooka
- Yanmar

Just call us for price quotes that are tailored to meet your needs.

PARTS & SERVICE WINTER SPECIALS

Service Department Special!

IN-SHOP BUCKET REBUILDS

Save 50% OFF Base Edges or Assemblies

If K Series Conversion, base edge is free

- Guaranteed Up-Front prices before the repair begins
- All steel used is abrasive plate with a minimum Brinell hardness of 400
- Milton CAT's Bucket Rebuild Warranty – six month workmanship warranty and lifetime warranty against breakage of GET

10% OFF CAT® Maintenance-Free High-Output BATTERIES



Designed by Caterpillar for sure starting power and long life in all climates and the toughest equipment applications!

CCA	Battery Size	Part No.	Reg. Price	Sale Price
1500 CCA	Size 8D	153-5720	\$299.48	\$269.53
1400 CCA	Size 4D	153-5710	\$285.17	\$256.65
1000 CCA*	Size 31	175-4390	\$128.79	\$115.91
1000 CCA	Size 31	115-2422	\$183.78	\$165.40
880 CCA	Size 65	230-6368	\$124.62	\$112.16
765 CCA	Size 2	153-5690	\$120.46	\$108.41
650 CCA	Size 24	153-5656	\$108.87	\$ 97.98
650 CCA	Size 74	153-5660	\$108.87	\$ 97.98
500 CCA	Size 58	175-4280	\$ 94.62	\$ 85.16

*threaded stud post

Emergency Start System



- Provides fast and easy starts to stalled direct electric start equipment.
- 10 ft. (2.45 m) plug assembly is used for starting stalled equipment from an auxiliary battery pack.
- 15 ft. (3.81 m) plug assembly is used for starting stalled equipment by jumping from another piece of equipment.

Part No.	Description	Price
8S-2632	Emergency Start System (10-foot Plug Assembly)	\$250.82
9S-3664	Emergency Start System (15-foot Plug Assembly)	\$365.39



Ether Cylinder

- Cold weather starting aid
- Heavy-duty construction
- Quick starts from -45.5° C (-50° F)
- Easy to install, hand tighten

7N-0296 fits most 3400 series and smaller engine applications. For measured shot systems.

7X-1062 fits most 3500 series engine applications. Comes with specially designed filter and foam disc collar to keep impurities out of the system.

Part No.	Size	Case	Can
130-8414	8 oz.	\$451.92 (12)	\$37.66
7N-0296	18 oz., 3" dia.	\$435.48 (12)	\$36.29
7X-1062	21 oz., 4" dia.		\$40.00



Utility Gloves

- Split-palm design ensures long life in high-wear areas
- Hidden seam design eliminates snagging
- Tough spandex top material resists snags
- NOT flame-proof or fire retardant

Part#	Size	Price
276-0491	Medium	\$20.03
276-0492	Large	\$20.03
276-0493	Extra Large	\$20.03
276-0494	XX Large	\$20.03

Insulated Gloves

- Waterproof glove insert to keep hands dry
- Combination of Velboa and micro fleece layer closest to skin for warmth
- Neoprene cuff design with streamlined thermal plastic rubber (TPR) hook and loop fastening
- Compression-molded neoprene knuckle and index finger protection
- Durable synthetic leather palm



Part No.	Size	Price
276-0495	Medium	\$35.62
276-0496	Large	\$35.62
276-0497	Extra Large	\$35.62
276-0498	XX Large	\$35.62



Booster Cables

- Professional quality
- Ensure quick and efficient connections
- Designed for convenience and safety
- Flexi-spring cable guards
- Meets SAEJ1494 specifications

Part No.	Length	Gauge	Cir. Mil. Copper	Jacket ²	Amp Clamp	Side Terminal Adapters	Price
4C-4933	3.66 m (12 ft.)	4	32,900	T-94	500	YES	\$ 50.25
4C-4934 ¹	3.66 m (12 ft.)	4	32,900	T-94	500	YES	\$ 72.42
4C-4935	4.572 (15 ft.)	4	32,900	T-94	500	YES	\$ 63.71
4C-4936	6 m (20 ft.)	4 AWG	41,300	T-94	500	YES	\$101.80
300-5899	6 m (20 ft.)	1 AWG	83,600	T-94	800	NO	\$164.73
4C-4938	4.572 m (15 ft.)	1/0 AWG	106,400	T-94	800	NO	\$278.59

1. Equipped with stop/go light – red L.E.D.s warn operator if polarity is reversed
2. T-94; flexible to 4° C (-40° F).



Nylon Lifting Slings

Six Month Warranty

Endless Slings (Type V)

Part No.	Length	Width	Capacity Choker	Vertical	Basket	Price
1U-8221	3 ft.	1"	2,480 lbs.	3,100 lbs.	6,200 lbs.	\$10.27
1U-8225	6 ft.	2"	4,960 lbs.	6,200 lbs.	12,400 lbs.	\$22.12

Eye and Eye Slings (Type 3)

Part No.	Length	Width	Eye Length	Capacity Choker	Vertical	Basket	Price
1U-8236	6 ft.	1"	8"	1,240 lbs.	1,550 lbs.	3,100 lbs.	\$14.24
1U-8239	12ft	1"	8"	1,240 lbs.	1,550 lbs.	3,100 lbs.	\$23.86

Columbus-McKinnon Ratchet-Type Load Binder

- All Steel
- Heavy Duty
- Meets DOT Standards
- Continuous Take-up



One Year Warranty Against Defects in Materials and Workmanship

Part No.	Type	Working Load	Chain Size	Take-Up	New Weight	Price
1U-9722	Ratchet	5,400 lbs	5/16" Grade 70	8"	12-1/2 lb	\$68.35
1U-9723	Ratchet	9,200 lbs	3/8" Grade 70	8"	12-1/2 lb	\$80.78
			1/2" Grade 43			

CAT Bolt-On Cutting Edges

10% OFF All CAT Bolt-On Cutting Edges for Loaders with the Purchase of Two or More Complete Sets



- Tough DH-2 or harder steel
- Flat, curved or serrated
- Every width, length and thickness
- "No Hassle" Warranty... Free lifetime replacement if breakage occurs during normal operation

Look at the examples of the savings!

Backhoe Loaders
part # 9W8215(2)
Now \$265⁰³
reg. \$294.48 per set
Save \$29.45

966 Wheel Loader
part #'s IU0593(2), 3G6395(2)
Now \$1,132²⁰
reg. \$1,258.00 per set
Save \$125.80

924G Wheel Loader
part #'s 8E4567(2), 4T8091(2)
Now \$605²¹
reg. \$672.46 per set
Save \$67.25

980 Wheel Loader
part #'s IU0762(2), IU0761(2)
Now \$1,622⁹²
reg. \$1,803.24 per set
Save \$180.32

Hardware not included in special discount offering.

CLASSIC PARTS & HYDRAULIC OIL



Economical parts options for equipment 15 years or older.



CAT® Classic™ Parts are a lower-cost, value-priced repair alternative when the age, application, utilization or remaining life of older CAT machines and engines demand a more economical repair solution.

CAT machines and engines have a long, productive life. Because their usage changes as they age, maintenance costs need to be re-evaluated. To help you manage your maintenance costs, Caterpillar offers CAT Classic Parts for a wide range of engines and machines.

Benefits of CAT Classic Parts

- Lower cost, value priced repair alternative for older equipment
- Lab tested & backed by Caterpillar new parts warranty
- Classic parts complement & complete dealer parts product line of original, Reman, and used Caterpillar parts

Machines and Models covered under the Classic Parts product line



D3/B/C, D4/B/C/D/E, D5/B/H, D6/B/C/D/H, D7/C/D/E/F/G/H, D8/D/E/F/G/H/K, D9D/E/G/H



910E/F, 920, 924F, 928F, 930, 938F, 950/B/E/F, 966/B/C/D/E/F, 980/B/C/F



416A/B/C, 428A/B/C



12/E/F/G, 14B/C/D/E/G112/E/F, 120/B/G, 130G, 140/B/G



D353C/D/E, D379/B, D398/B, D399, G353D, G379, G398, G399



941/B, 943, 951/B/C, 953/B, 955/C/F/H/K/L, 963/B, 973, 977D/E/H/K/L, 983/B



561B/C/D/H, 571/F/G, 572C/D/E/F/G, 583C/E/H/K, 594/H



215/B/C/D, 219/D, 225/B/D, 229/D, 231D, 235/B/C/D, 245/B/D, 320/B/C/S, 330



613/B/C, 621/B/E, 627/B/E, 631/B/C/D

* Blue models are new to the Classic product line in 2011 *

Cat HYDO™ Advanced 10 Hydraulic Oil



Extends your drain intervals to 6,000 hours!

CAT® HYDO™ Advanced 10 hydraulic oil is a combination of premium additives and specially selected and controlled higher quality base oils designed to provide extended drain intervals and extra protection to hydraulic system components.

CAT HYDO Advanced 10 represents a significant performance breakthrough in hydraulic oil technology. This oil has been developed with an optimized formulation that has been subjected to severe qualification testing in the field and laboratory for thousands of hours. The result is the best product available for CAT machine hydraulic systems.

- **6,000 hr. drain intervals** – up to triple the hours of conventional Hydraulic Oil when monitored with Caterpillar S•O•S.
- **Enhanced long lasting anti-wear protection** – specially developed additives reduce wear on internal parts saving you money on the total life of the system.
- **Improved corrosion protection** – protects metal surfaces from rust.
- **Improved oil stability** – 250% increase in oxidation stability makes CAT Hydo Advanced 10 last longer.

Part Number	Size	Container
309-6932	1 gal.	\$ 23.41
309-6931	5 gal.	\$ 109.35
309-6930	55 gal.	\$1,089.39




HYDO Advanced 10
HYDO 10W
HYDO Advanced 10
after 2,000 Hours
HYDO 10W
after 1,000 Hours



Oil at Start Oil after Field Test

Improved Oil Stability

250% increase in oxidation stability per ASTM D943. Improved oil stability and wear protection make CAT Hydo Advanced 10 last longer.



Less Hydraulic Oil Used Equals Cost Savings

The benefits add up. 6,000-hour extended drain intervals – up to triple the hours of CAT HYDO 10W when monitored with Caterpillar S•O•S™ Services oil analysis program. Reduces owning and operating costs, oil disposal cost, and increases up-time.

LOWER YOUR OWNING & OPERATING COSTS

For the Trenches

A series of articles developed by experts from the Milton CAT team.



FINANCING

Equipment Financing Do's and Don'ts

Time to expand your line and add a certain machine to your fleet? Asking the right questions may result in opportunities and options you didn't even know existed.



TIER 4

Tier 4 – What you need to know.

Learn about the new standards of emissions regulations that went into effect January 1, 2011 – how they will change your equipment, the types of projects they will affect, and what to expect from your equipment dealer.



CSAs

Customer Service Agreements or CSAs

Should you even have one...or would you be better off cutting down on the maintenance services provided by your equipment dealer. Before you make a costly decision, you owe it to yourself to take a good look at the four major weaknesses of in-house maintenance.



EMISSIONS

Emissions regulations – what you should know.

The goal is to help you stay in compliance. The strategy, getting some relevant background information, becoming familiar with the players and the nomenclature, understanding what's urgent in order to prioritize and learning where to get help. Yes, tighter emission regulations are here to stay. And you can get ready for them.



INSIDE SALES

Communicating with your dealer

Need information and access to resources - ASAP? Convenience, efficiency and VIP treatment are the three reasons why you may want to try your dealer's inside sales team.



EVALUATIONS

Machine Evaluations

What you don't know can really hurt your pocket. A good example – are the machines you're counting on ready to deliver for you? Find out with a professionally executed, comprehensive machine evaluation.



PARTS

Does The Part Fit?

Parts purchasing is an area that can take some careful scrutinizing. Many equipment owners and fleet managers are finding out that there are numerous options available to maintain their equipment in good condition, improve their uptime and still cut costs.



S O S

Scheduled Oil Sampling or S•O•S.

Some surprising advice about the appropriate implementation of S•O•S. Do it right or just skip it? Yes, you read it right. Unless you're committed to adhering to the process, S•O•S will be a waste of time and money.



GPS AUTOMATION

GPS, Automation, Machine Control & Guidance – Eliminate Intimidation through Rental

The quickly growing use of Machine Control & Guidance is a testament to the significant increase in the efficiencies and productivity this new technology can provide, but it can be a scary and expensive first step to take. This article talks about how to avoid the risks and feel good about your decision by renting.



PSSR

How to get the most from your Parts and Service Sales Representative or P.S.S.R.

Meet one person who can make a big difference in terms of your equipment's owning and operating costs, and who can help you increase your return on investment.



SAFETY

What you need to know.

Want to know what's available, what's worthwhile and what works to make sure that the safety responsibility in your company is implemented efficiently and cost-effectively? Read actionable information on how to better handle "Everyone's #1 Job."



REBUILD

A second go-around

A certified rebuild is a cost-effective way to give your productive, older machines a new life – including a like-new standard warranty. High-quality equipment is built to be rebuilt, and high-quality equipment dealers are set-up and authorized by manufacturers to implement this money-saving process.



WEAR PROTECTION

"Extreme Protection for Extreme Applications"

Take 15% OFF Wear Products


Designed to protect your equipment from impact and high abrasion damage. Applied to buckets, dozer moldboards or anywhere quick installation, low-cost abrasion protection is desired.



WEAR BUTTONS

Used in applications to optimize their round profile, utilizing a "tri-bar" design which traps fine media between the three raised bars. The trapped media will provide material-on-material wear prolonging the life for the product.

Part No.	Description	Diameter	Thickness	LIST PRICE
280-4092	2.5" Button	64 mm	22 mm	\$ 23.72
280-4093	3.5" Button	89 mm	29 mm	\$ 40.23
280-4094	4.5" Button	114 mm	33 mm	\$ 64.26
280-4095	6.0" Button	152 mm	35 mm	\$109.55



CHOCKY BARS

Provide an effective solution for a wide range of applications. Chocky Bars consist of Chrome White Iron (CWI): Heat-treated ASTM Class 2, Type B, with a material hardness of Rockwell C63.

Part No.	Description	Length	Width	Thickness	LIST PRICE
280-4088	1.5" Chocky	241 mm	38 mm	25 mm	\$38.30
280-4089	2.0" Chocky	241 mm	51 mm	25 mm	\$50.10
280-4090	2.5" Chocky	241 mm	64 mm	25 mm	\$61.84
280-4091	4.0" Chocky	241 mm	102 mm	25 mm	\$96.19



ROLL BARS

CAT roll bars are designed to protect the leading edge of earthmoving machinery such as dozers, loaders, mining shovels, etc. Their round edge is designed to provide maximum wear protection while minimizing drag. Some of the benefits of the design as compared to other wear products are impact deflection, improved media penetration and overall weight reduction.

Part No.	Description	Length	Width	Diameter	LIST PRICE
280-4096	1.25" Roll Bar	229 mm	38 mm	32 mm	\$ 82.68
280-4097	2.0" Roll Bar	305 mm	52 mm	51 mm	\$139.74
280-4098	3.0" Roll Bar	305 mm	69 mm	76 mm	\$230.69



BOLT PROTECTION

Designed to protect hardware (bolts, nuts, pins, etc) on items such as cutting edges, vertically-pinned tips, top plates, edge segments and side bar protectors. The product allows material to pack between the bolt protector and the hardware, preventing wear on the hardware.

Part No.	Description	Outer Diameter	Inner Diameter	Thickness	LIST PRICE
345-8061	Single Bolt Protector	114.3 mm	79.4 mm	33.3 mm	\$51.65



WEAR BLOCKS

Wear blocks are used in areas where a single piece needs to cover a large or specific surface area. The wear block has a thicker profile which allows for extended wear life in extreme applications. The "zig zag" inset design allows for material-on-material wear and prevents the wear common in grooves that are parallel to the direction of the media flow.

Part No.	Description	Length	Width	Thickness	LIST PRICE
280-4099	6"x 8" Tile	203 mm	152 mm	38 mm	\$256.11

Milton



www.miltoncat.com

Milford, MA 508.634.3400
 Wareham, MA 508.291.1200
 Cranston, RI 401.946.6350
 Richmond, VT 802.434.4228
 Hopkinton, NH 603.746.4611
 Warner, NH 603.746.4671

Scarborough, ME 207.883.9586
 Brewer, ME 207.989.1890
 Clifton Park, NY 518.877.8000
 Syracuse, NY 315.476.9981
 Batavia, NY 585.815.6200
 Binghamton, NY 607.772.6500

Call the location nearest you for more information on the products and services in this sales flier.

All prices in this sales flier are effective as of January 1, 2012, and are subject to change without notice. Offers end April 30, 2012 unless otherwise noted.